



## Table of Contents

### VOLUME 112 (2001)

#### *Editorials*

##### *Editorial*

M. Hallett, P.M. Rossini	1
Neural mechanisms of unconscious cognitive processing	
C.D. Yingling (USA)	157
From brainstem to cortex: neurobiologic research provides keys to the riddles, mysteries and enigmas of brain dysfunction	
G.C. Galbraith (USA)	721
Spatial enhancement of EEG data by surface Laplacian estimation: the use of magnetic resonance imaging-based head models	
F. Babiloni, F. Cincotti, F. Carducci, P.M. Rossini, C. Babiloni (Italy)	724
The 'motor' inaccuracy in neurogenic motor evoked potentials	
V. Deletis (USA)	1365

#### *Meeting Reports*

Minutes of the IFCN Council Meeting	1569
Minutes of the IFCN General Assembly	1571

#### *Invited Reviews*

Disorders of membrane channels or channelopathies	
G.G. Celesia (USA)	2
Therapeutic application of repetitive transcranial magnetic stimulation: a review	
E.M. Wassermann, S.H. Lisanby (USA)	1367

#### *Reviews*

Motor unit number estimation in human neurological diseases and animal models	
J.M. Shefner (USA)	955
Excitability of human axons	
D. Burke, M.C. Kiernan, H. Bostock (Australia, UK)	1575
Evoked potentials for evaluation of multiple sclerosis	
P. Fuhr, L. Kappos (Switzerland)	2185
Clinical neurophysiology of ALS	
A. Eisen, M. Swash (Canada, UK)	2190

#### *Original Research Articles*

EEG responses to combined somatosensory and transcranial magnetic stimulation	
M. Schürmann, V.V. Nikouline, S. Soljanlahti, M. Ollikainen, E. Başar, R.J. Ilmoniemi (Germany, Finland, Turkey)	19
Intracranial electroencephalographic changes in deep anesthesia	
H. Karasawa, K. Sakaida, S. Noguchi, K. Hatayama, H. Naito, N. Hirota, K. Sugiyama, J. Ueno, H. Nakajima, Y. Fukada, H. Kin (Japan)	25
Early serial EEG in hypoxic ischaemic encephalopathy	
R.M. Pressler, G.B. Boylan, M. Morton, C.D. Binnie, J.M. Rennie (UK)	31
Investigation of non-linear properties of multichannel EEG in the early stages of Parkinson's disease	
L. Pezard, R. Jech, E. Růžička (France, Czech Republic)	38
Experimental tests of EEG source localization accuracy in spherical head models	
B. Neil Cuffin, D.L. Schomer, J.R. Ives, H. Blume (USA)	46



## Table of Contents

### VOLUME 112 (2001)

#### *Editorials*

##### *Editorial*

M. Hallett, P.M. Rossini	1
Neural mechanisms of unconscious cognitive processing	
C.D. Yingling (USA)	157
From brainstem to cortex: neurobiologic research provides keys to the riddles, mysteries and enigmas of brain dysfunction	
G.C. Galbraith (USA)	721
Spatial enhancement of EEG data by surface Laplacian estimation: the use of magnetic resonance imaging-based head models	
F. Babiloni, F. Cincotti, F. Carducci, P.M. Rossini, C. Babiloni (Italy)	724
The 'motor' inaccuracy in neurogenic motor evoked potentials	
V. Deletis (USA)	1365

#### *Meeting Reports*

Minutes of the IFCN Council Meeting	1569
Minutes of the IFCN General Assembly	1571

#### *Invited Reviews*

Disorders of membrane channels or channelopathies	
G.G. Celesia (USA)	2
Therapeutic application of repetitive transcranial magnetic stimulation: a review	
E.M. Wassermann, S.H. Lisanby (USA)	1367

#### *Reviews*

Motor unit number estimation in human neurological diseases and animal models	
J.M. Shefner (USA)	955
Excitability of human axons	
D. Burke, M.C. Kiernan, H. Bostock (Australia, UK)	1575
Evoked potentials for evaluation of multiple sclerosis	
P. Fuhr, L. Kappos (Switzerland)	2185
Clinical neurophysiology of ALS	
A. Eisen, M. Swash (Canada, UK)	2190

#### *Original Research Articles*

EEG responses to combined somatosensory and transcranial magnetic stimulation	
M. Schürmann, V.V. Nikouline, S. Soljanlahti, M. Ollikainen, E. Başar, R.J. Ilmoniemi (Germany, Finland, Turkey)	19
Intracranial electroencephalographic changes in deep anesthesia	
H. Karasawa, K. Sakaida, S. Noguchi, K. Hatayama, H. Naito, N. Hirota, K. Sugiyama, J. Ueno, H. Nakajima, Y. Fukada, H. Kin (Japan)	25
Early serial EEG in hypoxic ischaemic encephalopathy	
R.M. Pressler, G.B. Boylan, M. Morton, C.D. Binnie, J.M. Rennie (UK)	31
Investigation of non-linear properties of multichannel EEG in the early stages of Parkinson's disease	
L. Pezard, R. Jech, E. Růžička (France, Czech Republic)	38
Experimental tests of EEG source localization accuracy in spherical head models	
B. Neil Cuffin, D.L. Schomer, J.R. Ives, H. Blume (USA)	46

Electrocortical brain activity, cerebral haemodynamics and oxygenation during progressive hypotension in newborn piglets A.W.D. Gavilanes, J.S.H. Vles, K. von Siebenthal, J.P. Reulen, F.H. Nieman, R. van Sprundel, C.E. Blanco (The Netherlands, Switzerland)	52
Local Lyapunov exponents detect epileptic zones in spike-less interictal MEG recordings Z.J. Kowalik, A. Schnitzler, H.-J. Freund, O.W. Witte (Germany)	60
Movement-related cortical potentials associated with progressive muscle fatigue in a grasping task J. Johnston, M. Rearick, S. Slobounov (USA)	68
Cutaneous and mixed nerve silent periods in syringomyelia I. Stetkarova, M. Kofler, A.A. Leis (Czech Republic, Austria, USA)	78
Cricopharyngeal sphincter muscle responses to transcranial magnetic stimulation in normal subjects and in patients with dysphagia C. Ertekin, B. Turman, S. Tarlaci, M. Celik, I. Aydogdu, Y. Secil, N. Kiyioglu (Turkey, Australia)	86
Deficits in sensorimotor control during precise hand movements in Huntington's disease M. Schwarz, S.J. Fellows, C. Schaffrath, J. Noth (Germany)	95
Hemispheric asymmetry of ipsilateral motor cortex activation during unimanual motor tasks: further evidence for motor dominance U. Ziemann, M. Hallett (Germany, USA)	107
Inhibition of ipsilateral motor cortex during phasic generation of low force J. Liepert, C. Dettmers, C. Terborg, C. Weiller (Germany)	114
Information flow from the sensorimotor cortex to muscle in humans T. Mima, T. Matsuoka, M. Hallett (USA)	122
Estimating motor-unit architectural properties by analyzing motor-unit action potential morphology Z.C. Lateva, K.C. McGill (USA)	127
Sequential changes of orthodromic sensory nerve action potentials induced by experimental compression of the median nerve at the wrist T. Tani, T. Ushida, J. Kimura (Japan, USA)	136
Radial nerve F-waves: normative values with surface recording from the extensor indicis muscle E.S. Papathanasiou, E. Zamba, S.S. Papacostas (Cyprus)	145
Enhanced gain of blink reflex responses to ipsilateral supraorbital nerve afferent inputs in patients with facial nerve palsy D. Manca, E. Muñoz, P. Pastor, F. Valldeoriola, J. Valls-Solé (Spain)	153
Subliminal visual oddball stimuli evoke a P300 component E. Bernat, H. Shevrin, M. Snodgrass (USA)	159
The attentional effects of peripheral cueing as revealed by two event-related potential studies S. Fu, S. Fan, L. Chen, Y. Zhuo (China)	172
The mode of short-term memory encoding as indicated by event-related potentials in a memory scanning task with distractions I. Wolach, H. Pratt (Israel)	186
Test-retest reliability of electrophysiological parameters related to cognitive motor control A.J. Fallgatter, A.J. Bartsch, W.K. Strik, T.J. Mueller, S.S. Eisenack, B. Neuhauser, D. Aranda, M.J. Herrmann (Germany, Switzerland)	198
Somatosensory evoked fields in comatose survivors after severe traumatic brain injury M. Iwasaki, N. Nakasato, A. Kanno, K. Hatanaka, K.-i. Nagamatsu, Y. Nagamine, T. Yoshimoto (Japan)	205
The effects of ocular artifacts on (lateralized) broadband power in the EEG D. Hagemann, E. Naumann (USA, Germany)	215
Sensitivity of recordings at sphenoidal electrode site for detecting seizure onset: evidence from scalp, superficial and deep foramen ovale recordings N. Kissani, G. Alarcon, M. Dad, C.D. Binnie, C.E. Polkey (UK, Morocco, Spain)	232
Epileptic seizures are characterized by changing signal complexity G.K. Bergey, P.J. Franaszczuk (USA)	241
Motor thresholds in humans: a transcranial magnetic stimulation study comparing different pulse waveforms, current directions and stimulator types T. Kammer, S. Beck, A. Thielscher, U. Laubis-Herrmann, H. Topka (Germany)	250
Repetitive transcranial magnetic stimulation to SMA worsens complex movements in Parkinson's disease L.S. Boylan, S.L. Pullman, S.H. Lisanby, K.E. Spicknall, H.A. Sackeim (USA)	259
Motor control in simple bimanual movements: a transcranial magnetic stimulation and reaction time study H. Foltys, R. Sparing, B. Boroojerdi, T. Krings, I.G. Meister, F.M. Mottaghy, R. Töpper (Germany, USA)	265
Piracetam affects facilitatory I-wave interaction in the human motor cortex S. Wischer, W. Paulus, M. Sommer, F. Tergau (Germany)	275
Heat-sensitive conduction block in ulnar neuropathy at the elbow S.B. Rutkove, M.A. Geffroy, S.H. Lichtenstein (USA)	280
What is the best way to assess focal slowing of the ulnar nerve? J.G. van Dijk, J. Meulstee, M.J. Zwartz, F. Spaans (The Netherlands)	286

Equine muscular dystrophy with myotonia P. Montagna, R. Liguori, L. Monari, P.N. Strong, R. Riva, V. Di Stasi, G. Gandini, M. Cipone (Italy, UK)	294
Single fiber EMG and repetitive nerve stimulation of the same extensor digitorum communis muscle in myasthenia gravis M. Sonoo, H. Uesugi, A. Mochizuki, Y. Hatanaka, T. Shimizu (Japan)	300
Effects of high frequency repetitive transcranial magnetic stimulation on P <sub>300</sub> event-related potentials H. Jing, M. Takigawa, K. Hamada, H. Okamura, Y. Kawaika, T. Yonezawa, H. Fukuzako (Japan)	304
A new application for the sympathetic skin response: the evaluation of auditory thresholds in cochlear implant patients Y. Péréon, D. Laplaud, S. Nguyen The Tich, E. Radafy (France)	314
Electrophysiological evidence of persisting unilateral auditory cortex dysfunction in the late outcome of Landau and Kleffner syndrome N. Wioland, G. Rudolf, M.N. Metz-Lutz (France)	319
Vibration-induced inhibition of the early components of the tibial nerve somatosensory evoked potential is mediated at a spinal synapse J.E. Misiaszek, J.D. Brooke (Canada, USA)	324
Magnetoneurography of evoked compound action currents in human cervical nerve roots B.-M. Mackert, M. Burghoff, L.-H. Hiss, M. Nordahn, P. Marx, L. Trahms, G. Curio (Germany)	330
Hyperexcitatory activity in visual cortex in homonymous hemianopia after stroke C. Braun, J. Weber, U. Schiefer, M. Skalej, T. Dietrich (Germany)	336
Factor structure and ammonia-related modulation of the human retinal oscillatory potentials M. Beelke, S. Carozzo, F. De Carli, S. Massimilla, L. Nobili, C. Ogliastro, W.G. Sannita (Italy, USA)	344
Impaired visual function in glaucoma V. Parisi (Italy)	351
Identification of the stimulated hemiretina in primary school children and adults based on left and right hemifield pattern reversal visual evoked potentials – a comparative study K. Hoffmann, L. Leistriz, M. Feucht, F. Benninger, D. Reiter, H. Witte (Germany, Austria)	359
Age-dependent changes in sleep EEG topography H.-P. Landolt, A.A. Borbély (Switzerland)	369
The localization of spontaneous brain activity: first results in patients with cerebral tumors A. de Jongh, J.C. de Munck, J.C. Baayen, E.J. Jonkman, R.M. Heethaar, B.W. van Dijk (The Netherlands)	378
Propofol anesthesia induces phase synchronization changes in EEG M. Koskinen, T. Seppänen, J. Tuukkanen, A. Yli-Hankala, V. Jäntti (Finland)	386
Event-related desynchronization during anticipatory attention for an upcoming stimulus: a comparative EEG/MEG study M.C.M. Bastiaansen, K.B.E. Böcker, C.H.M. Brunia, J.C. de Munck, H. Spekreijse (The Netherlands)	393
Adults with fast-discharges absence seizures L. Vercueil (France)	404
Separation of spikes from background by independent component analysis with dipole modeling and comparison to intracranial recording K. Kobayashi, I. Merlet, J. Gotman (Japan, Canada)	405
Dipole modeling of scalp electroencephalogram epileptic discharges: correlation with intracerebral fields I. Merlet, J. Gotman (Canada)	414
Potentials recorded at the scalp by stimulation near the human subthalamic nucleus P. Ashby, G. Paradiso, J.A. Saint-Cyr, R. Chen, A.E. Lang, A.M. Lozano (Canada)	431
Neurophysiological mechanisms underlying motor evoked potentials in anesthetized humans. Part 1. Recovery time of corticospinal tract direct waves elicited by pairs of transcranial electrical stimuli V. Deletis, V. Isgum, V.E. Amassian (USA, Croatia)	438
Neurophysiological mechanisms underlying motor evoked potentials in anesthetized humans. Part 2. Relationship between epidurally and muscle recorded MEPs in man V. Deletis, Z. Rodi, V.E. Amassian (USA, Slovenia)	445
Crossed effects of muscle vibration on motor-evoked potentials A. Kossev, S. Siggelkow, H.-H. Kapels, R. Dengler, J.D. Rollnik (Bulgaria, Germany)	453
Terminal latency index and modified F ratio in distinction of chronic demyelinating neuropathies S. Attarian, J.P. Azulay, J. Boucraut, N. Escande, J. Pouget (France)	457
Simulation of the normal concentric needle electromyogram by using a muscle model E. Stålberg, L. Karlsson (Sweden)	464
Pudendal nerve terminal motor latency: age effects and technical considerations J.-P. Lefaucheur, R. Yiou, C. Thomas (France)	472
Overlap of attention and movement-related activity in lateralized event-related brain potentials R. Oostenveld, P. Praamstra, D.F. Stegeman, A. van Oosterom (The Netherlands)	477
Differences between the N1 waves of the responses to interaural time and intensity disparities: scalp topography and dipole sources P. Ungan, S. Yagcioglu, C. Goksoy (Turkey)	485

Near-DC magnetic fields following a periodic presentation of long-duration tonebursts C. Lammertmann, B. Lütkenhöner (Germany)	499
Auditory response following vocalization: a magnetoencephalographic study A. Gunji, M. Hoshiyama, R. Kakigi (Japan)	514
Sleep spindle characteristics in healthy subjects of different age groups A. Nicolas, D. Petit, S. Rompré, J. Montplaisir (France, Canada)	521
Scalp electrode impedance, infection risk, and EEG data quality T.C. Ferree, P. Luu, G.S. Russell, D.M. Tucker (USA)	536
A convenient method for detecting electrolyte bridges in multichannel electroencephalogram and event-related potential recordings C.E. Tenke, J. Kayser (USA)	545
Self-initiation of EEG-based communication in paralyzed patients J. Kaiser, J. Perelmouter, I.H. Iversen, N. Neumann, N. Ghanayim, T. Hinterberger, A. Kübler, B. Kotchoubey, N. Birbaumer (Germany, USA, Italy)	551
Weighted averaging of steady-state responses M.S. John, A. Dimitrijevic, T.W. Picton (Canada)	555
Induced electrocorticographic gamma activity during auditory perception (Brazier Award-winning article, 2001) N.E. Crone, D. Boatman, B. Gordon, L. Hao (USA)	565
A convenient method to reduce crosstalk in surface EMG (Cobb Award-winning article, 2001) J.P.P. van Vugt, J.G. van Dijk (The Netherlands)	583
Optimization of facilitation related to threshold in transcranial magnetic stimulation T.R. Han, J.H. Kim, J.Y. Lim (South Korea)	593
Impairment of motor cortex activation and deactivation in Parkinson's disease R. Chen, S. Kumar, R.R. Garg, A.E. Lang (Canada)	600
A medial to lateral shift in pre-movement cortical activity in hemi-Parkinson's disease R. Cunnington, W. Lalouschek, G. Dirnberger, P. Walla, G. Lindinger, S. Asenbaum, T. Brücke, W. Lang (Austria, Australia)	608
Cerebellar stimulation in acute cerebellar ataxia K. Matsunaga, T. Uozumi, T. Hashimoto, S. Tsuji (Japan)	619
Interhemispheric interaction between the hand motor areas in patients with cortical myoclonus R. Hanajima, Y. Ugawa, S. Okabe, K. Yuasa, Y. Shiio, N.K. Iwata, I. Kanazawa (Japan)	623
Assessment of reorganization in the sensorimotor cortex after upper limb amputation P. Schwenkreis, K. Witscher, F. Janssen, B. Pleger, R. Dertwinkel, M. Zenz, J.-P. Malin, M. Tegenthoff (Germany)	627
Remote F-wave changes after local botulinum toxin application K. Wohlfarth, M. Schubert, B. Rothe, J. Elek, R. Dengler (Germany)	636
Reflex receptive fields for human withdrawal reflexes elicited by non-painful and painful electrical stimulation of the foot sole O.K. Andersen, F.A. Sonnenborg, L. Arendt-Nielsen (Denmark)	641
Intracerebral event-related potentials to subthreshold target stimuli M. Brázdil, I. Rektor, P. Daniel, M. Dufek, P. Jurák (Czech Republic)	650
Impairment of an event-related potential correlate of memory in schizophrenia: effects of immediate and delayed word repetition K. Matsumoto, H. Matsuoka, H. Yamazaki, H. Sakai, T. Kato, N. Miura, M. Nakamura, K. Osakabe, H. Saito, T. Ueno, M. Sato (Japan)	662
The heartbeat-evoked brain potential in patients suffering from diabetic neuropathy and in healthy control persons C. Leopold, R. Schandry (Germany)	674
Melatonin as a sleep inductor for electroencephalogram recordings in children E. Wassmer, E. Quinn, W. Whitehouse, S. Seri (UK, Italy)	683
Psychomotor EEG variant of Gibbs: an association with underlying structural pathology M.J. Hennessy, M. Koutoumanidis, E. Hughes, C.D. Binnie (UK)	686
Space-oriented segmentation and 3-dimensional source reconstruction of ictal EEG patterns G. Lantz, C.M. Michel, M. Seeck, O. Blanke, L. Spinelli, G. Thut, T. Landis, I. Rosén (Switzerland, Sweden)	688
Exploratory data analysis of evoked response single trials based on minimal spanning tree N.A. Laskaris, A.A. Ioannides (Japan)	698
The five percent electrode system for high-resolution EEG and ERP measurements R. Oostenveld, P. Praamstra (The Netherlands, UK)	713
Auditory sensory memory as indicated by mismatch negativity in chronic alcoholism C. Grau, M.D. Polo, E. Yago, A. Gual, C. Escera (Spain)	728
The vanishing point of the mismatch negativity at sleep onset H. Nittono, D. Momose, T. Hori (Japan)	732
Alpha activity as an index of cortical inhibition during sustained internally controlled attention in infants E.V. Orekhova, T.A. Stroganova, I.N. Posikera (Russia)	740



Test-retest consistency of the event-related desynchronization/event-related synchronization of the 4–6, 6–8, 8–10 and 10–12 Hz frequency bands during a memory task	
C.M. Krause, L. Sillanmäki, A. Häggqvist, R. Heino (Finland)	750
Neurobiologic responses to speech in noise in children with learning problems: deficits and strategies for improvement	
J. Cunningham, T. Nicol, S.G. Zecker, A. Bradlow, N. Kraus (USA)	758
Temporal non-linearities of the cochlear amplifier revealed by maximum length sequence stimulation	
A.R.D. Thornton, K. Shin, E. Gottesman, J. Hine (UK)	768
Separation of mismatch negativity and the N1 wave in the auditory cortex of the cat: a topographic study	
Z. Pincze, P. Lakatos, C. Rajkai, I. Ulbert, G. Karmos (Hungary)	778
Improved neuromagnetic detection of fetal and neonatal auditory evoked responses	
J.M. Lengle, M. Chen, R.T. Wakai (USA)	785
Somatosensory evoked potential recovery in myotonic dystrophy	
H. Mochizuki, R. Hanajima, H. Kowa, Y. Motoyoshi, H. Ashida, K. Kamakura, K. Motoyoshi, Y. Ugawa (Japan)	793
Hypersomnia in the Prader Willi syndrome: clinical-electrophysiological features and underlying factors	
R. Manni, L. Politini, L. Nobili, F. Ferrillo, C. Livieri, E. Veneselli, R. Biancheri, M. Martinetti, A. Tartara (Italy)	800
Age and sex effects in the EEG: development of the normal child	
A.R. Clarke, R.J. Barry, R. McCarthy, M. Selikowitz (Australia)	806
Age and sex effects in the EEG: differences in two subtypes of attention-deficit/hyperactivity disorder	
A.R. Clarke, R.J. Barry, R. McCarthy, M. Selikowitz (Australia)	815
Mutual information analysis of the EEG in patients with Alzheimer's disease	
J. Jeong, J.C. Gore, B.S. Peterson (USA)	827
Lateralization of temporal lobe foci: depth versus subdural electrodes	
S. Eisenschenk, R.L. Gilmore, J.E. Cibula, S.N. Roper (USA)	836
High-resolution EEG: a new realistic geometry spline Laplacian estimation technique	
B. He, J. Lian, G. Li (USA)	845
Concentric-needle versus macro EMG II. Detection of neuromuscular disorders	
J. Finsterer, A. Fuglsang-Frederiksen (Austria, Denmark)	853
Sympathetic skin response evoked by respiratory stimulation as a measure of sympathetic function	
Y. Kira, T. Ogura, S. Aramaki, T. Kubo, T. Hayasida, Y. Hirasawa (Japan)	861
A comparison between different parameters in F-wave studies	
J.A.M. Nobrega, G.M. Manzano, P.T. Monteagudo (Brazil)	866
Simulation of EMG in pathological situations	
E. Stålberg, L. Karlsson (Sweden)	869
Intraoperative monitoring of the bulbocavernosus reflex: the method and its problems	
Z. Rodi, D.B. Vodušek (Slovenia)	879
The shortening reaction of forearm muscles: the influence of central set	
G. Miscio, F. Pisano, C. Del Conte, D. Pianca, R. Colombo, M. Schieppati (Italy)	884
Additional somatosensory information does not improve cerebellar adaptation during catching	
C.E. Lang, A.J. Bastian (USA)	895
Influence of task-related ipsilateral hand movement on motor cortex excitability	
M. Zaaroor, H. Pratt, A. Starr (USA)	908
Disinhibition of somatosensory and motor cortex in mitochondriopathy without myoclonus	
J. Liepert, J. Haueisen, S. Hegemann, C. Weiller (Germany)	917
Event-related desynchronization in reaction time paradigms: a comparison with event-related potentials and corticospinal excitability	
L. Leocani, C. Toro, P. Zhuang, C. Gerloff, M. Hallett (USA, Italy)	923
Mechanisms influencing stimulus-response properties of the human corticospinal system	
B. Boroojerdi, F. Battaglia, W. Muellbacher, L.G. Cohen (USA, Germany)	931
The triple stimulation technique to study central motor conduction to the lower limbs	
R. Bühler, M.R. Magistris, A. Truffert, C.W. Hess, K.M. Rösler (Switzerland)	938
The auditory 'C-process': analyzing the spectral envelope of complex sounds	
S.J. Jones, N. Perez (UK)	965
Parkinson's disease changes the balance of onset and offset visual responses: an evoked potential study	
F. Bandini, M. Pierantozzi, I. Bodis-Wollner (Italy, USA)	976
Arousals and obstructive sleep apnea syndrome in children	
S. Scholle, G. Zwacka (Germany)	984
Inverse coupling between ultradian oscillations in delta wave activity and heart rate variability during sleep	
G. Brandenberger, J. Ehrhart, F. Piquard, C. Simon (France)	992
Diurnal variations in alpha power density and subjective sleepiness while performing repeated vigilance tasks	
S. Higuchi, Y. Liu, T. Yuasa, A. Maeda, Y. Motohashi (Japan)	997
EEG abnormalities in dementia reflect the parietal lobe syndrome	
M. Matousek, M. Brunovsky, Å. Edman, A. Wallin (Czech Republic, Sweden)	1001

Using simulated neuronal cell models for detection of epileptic seizures in foramen ovale and scalp EEG K. Schindler, R. Wiest, M. Kollar, F. Donati (Switzerland)	1006
Neurophysiological evaluation of vigilance in epileptic patients on monotherapy with lamotrigine E. Bonanni, R. Galli, S. Gori, L. Pasquali, M. Maestri, A. Iudice, L. Murri (Italy)	1018
Statistical detection of between-group differences in event-related potentials A. Achim (Canada)	1023
Mechanism of prolonged central motor conduction time in compressive cervical myelopathy K. Kaneko, T. Taguchi, H. Morita, H. Yonemura, H. Fujimoto, S. Kawai (Japan)	1035
A useful electrophysiological test for diagnosis of minimal conduction block L. Padua, I. Aprile, P. D'Amico, F. Pauri, M. Sabatelli, P. Caliendo, P. Tonali (Italy)	1041
Magnetic pudendal neurostimulation: a novel method for measuring pudendal nerve terminal motor latency A. Shafik (Egypt)	1049
Modulation of upper extremity motor evoked potentials by cutaneous afferents in humans M. Kofler, P. Fuhr, A.A. Leis, F.X. Glocker, M.F. Kronenberg, J. Wissel, I. Stetkarova (Austria, Switzerland, USA, Germany, Czech Republic)	1053
Masseteric repetitive nerve stimulation in the diagnosis of myasthenia gravis G. Pavesi, L. Cattaneo, S. Tinchelli, D. Mancina (Italy)	1064
Electrophysiological assessments of primitive reflexes in stroke patients C.-W. Chang (Taiwan)	1070
Intraoperative motor evoked potentials to transcranial electrical stimulation during two anaesthetic regimens L. Pelosi, M. Stevenson, G.J. Hobbs, A. Jardine, J.K. Webb (UK)	1076
Prestimulus cortical potentials predict the performance in a saccadic distractor paradigm S. Everling, A. Matthews, H. Flohr (Canada, Germany)	1088
Abnormal early stages of task stimulus processing in children with attention-deficit hyperactivity disorder – evidence from event-related gamma oscillations J. Yordanova, T. Banaschewski, V. Kolev, W. Woerner, A. Rothenberger (Bulgaria, Germany)	1096
Relationship between correlation dimension and indices of linear analysis in both respiratory movement and electroencephalogram N. Burioka, G. Cornélissen, F. Halberg, D.T. Kaplan (USA)	1147
The effect of state on sensory gating: comparison of waking, REM and non-REM sleep M.A. Kiskey, A. Olincy, R. Freedman (USA)	1154
Changes of the brain electrical fields during the continuous performance test in attention-deficit hyperactivity disorder-boys depending on methylphenidate medication K.E. Zillesen, P. Scheuerpflug, A.J. Fallgatter, W.K. Strik, A. Warnke (Germany, Switzerland)	1166
Theta band power changes in normal and dyslexic children W. Klimesch, M. Doppelmayr, H. Wimmer, J. Schwaiger, D. Röhm, W. Gruber, F. Hutzler (Austria)	1174
Alpha and beta band power changes in normal and dyslexic children W. Klimesch, M. Doppelmayr, H. Wimmer, W. Gruber, D. Röhm, J. Schwaiger, F. Hutzler (Austria)	1186
Interpretation of interdependencies in epileptic signals using a macroscopic physiological model of the EEG F. Wendling, F. Bartolomei, J.J. Bellanger, P. Chauvel (France)	1201
Gamma band activity in an auditory oddball paradigm studied with the wavelet transform I.G. Gurtubay, M. Alegre, A. Labarga, A. Malanda, J. Iriarte, J. Artieda (Spain)	1219
Waveform of sympathetic skin response in diabetic patients M. Toyokura, H. Takeda (Japan)	1229
Clinical and neurophysiological outcome of surgery in extreme carpal tunnel syndrome M. Mondelli, F. Reale, R. Padua, I. Aprile, L. Padua (Italy)	1237
Synchronization of single motor units during voluntary contractions in the upper and lower extremities M.-S. Kim, Y. Masakado, Y. Tomita, N. Chino, Y.S. Pae, K.E. Lee (Japan, South Korea)	1243
Anticipatory postural adjustments during load catching by standing subjects T. Shiratori, M.L. Latash (USA)	1250
Different responses to auditory and somesthetic stimulation in patients with an excessive startle: a report of pediatric experience K. Oguro, H. Aiba, H. Hojo (Japan)	1266
Regulation of motor output between young and elderly subjects D. Earles, V. Vardaxis, D. Kocaja (USA)	1273
Time-on-task analysis using wavelet networks in an event-related potential study on attention-deficit hyperactivity disorder H. Heinrich, G.H. Moll, H. Dickhaus, V. Kolev, J. Yordanova, A. Rothenberger (Germany, Bulgaria)	1280
Detection of non-linearity in the EEG of schizophrenic patients Y.-J. Lee, Y.-S. Zhu, Y.-H. Xu, M.-F. Shen, H.-X. Zhang, N.V. Thakor (China, USA)	1288
Regulating action: alternating activation of midline frontal and motor cortical networks P. Luu, D.M. Tucker (USA)	1295

Uncoupling of contingent negative variation and alpha band event-related desynchronization in a go/no-go task S.R. Filipović, M. Jahanshahi, J.C. Rothwell (UK)	1307
Multiplicity in the high-frequency signals during the short-latency somatosensory evoked cortical activity in humans J. Haueisen, B. Schack, T. Meier, G. Curio, Y. Okada (Germany, USA)	1316
The temporal profile of interactions between sensory information from both hands in the secondary somatosensory cortex Y. Hamada, H. Kado, R. Suzuki (Japan)	1326
Two evoked responses with different recovery functions in the primary somatosensory cortex in humans M. Hoshiyama, R. Kakigi (Japan)	1334
Changes in the retinocortical evoked potentials in subjects 75 years of age and older L. Justino, H. Kergoat, M.-J. Kergoat (Canada)	1343
Electrophysiological estimate of human cortical magnification S.D. Slotnick, S.A. Klein, T. Carney, E.E. Sutter (USA)	1349
Changes in electrovestibular brainstem responses after aminoglycoside intoxication in guinea pigs K. Sugawara, R. Charlet de Sauvage, D.M. Lima da Costa, J.-P. Erre, M. Sugawara, J.-M. Aran (Japan, France)	1357
Recurrent neural network-based approach for early recognition of Alzheimer's disease in EEG A.A. Petrosian, D.V. Prokhorov, W. Lajara-Nanson, R.B. Schiffer (USA)	1378
Time-variant non-linear phase-coupling analysis of EEG burst patterns in sedated patients during electroencephalic burst suppression period B. Schack, H. Witte, M. Helbig, Ch. Schelenz, M. Specht (Germany)	1388
Boundary element method volume conductor models for EEG source reconstruction M. Fuchs, M. Wagner, J. Kastner (Germany)	1400
Tracing of proximal lumbosacral nerve conduction – a comparison of simultaneous magneto – and electroneurography B.-M. Mackert, M. Burghoff, L.-H. Hiss, L. Trahms, G. Curio (Germany)	1408
Determinants of pain in needle electromyography J.A. Strommen, J.R. Daube (USA)	1414
Alpha band power changes in unimanual and bimanual sequential movements, and during motor transitions M.-P. Deiber, R. Caldara, V. Ibañez, C.-A. Hauert (Switzerland, France)	1419
Motor cortex disinhibition in Alzheimer's disease J. Liepert, K.J. Bär, U. Meske, C. Weiller (Germany)	1436
Anterior spinal cord injury with preserved neurogenic 'motor' evoked potentials R.E. Minahan, J.P. Sepkuty, R.P. Lesser, P.D. Sponseller, J.P. Kostuik (USA)	1442
New graphical method to measure silent periods evoked by transcranial magnetic stimulation M.A. Garvey, U. Ziemann, D.A. Becker, C.A. Barker, J.J. Bartko (USA)	1451
Changes in corticomotor representations induced by prolonged peripheral nerve stimulation in humans M.C. Ridding, D.R. McKay, P.D. Thompson, T.S. Miles (Australia)	1461
The prolonged cortical silent period in patients with Huntington's disease N. Modugno, A. Currà, M. Giovannelli, A. Priori, F. Squitieri, S. Ruggieri, M. Manfredi, A. Berardelli (Italy)	1470
Somatosensory event-related potential and autonomic activity to varying pain reduction cognitive strategies in hypnosis V. De Pascalis, M.R. Magurano, A. Bellusci, A.C.N. Chen (Italy, Denmark)	1475
EEG changes during word and figure categorization T. Harmony, T. Fernández, A. Fernández-Bouzas, J. Silva-Pereyra, J. Bosch, L. Díaz-Comas, L. Galán (Mexico, Cuba)	1486
An integration of 40 Hz Gamma and phasic arousal: novelty and routinization processing in schizophrenia K.-H. Lee, L.M. Williams, A. Haig, E. Goldberg, E. Gordon (Australia, USA)	1499
CNS recovery from cocaine, cocaine and alcohol, or opioid dependence: a P300 study L.O. Bauer (USA)	1508
Specific somatosensory processing in somatosensory area 3b for human thumb: a neuromagnetic study M. Tanosaki, I. Hashimoto, Y. Iguchi, T. Kimura, R. Takino, Y. Kurobe, Y. Haruta, Y. Hoshi (Japan)	1516
Olfactory event-related potentials in patients with brain tumors C. Daniels, B. Gottwald, B.M. Pause, B. Sojka, H.M. Mehdorn, R. Ferstl (Germany)	1523
Brain-stem compression in vertebrobasilar dolichoectasia. A multimodal electrophysiological study S. Passero, S. Rossi, F. Giannini, D. Nuti (Italy)	1531
Internight reliability and benchmark values for computer analyses of non-rapid eye movement (NREM) and REM EEG in normal young adult and elderly subjects X. Tan, I.G. Campbell, I. Feinberg (USA)	1540
Automatic alignment of EEG/MEG and MRI data sets D. Kozinska, F. Carducci, K. Nowinski (Poland, Italy)	1553
The development of a software program for analyzing skin conductance changes in preterm infants H. Storm (Norway)	1562
Electrophysiologic studies in critical illness associated weakness: myopathy or neuropathy – a reappraisal W. Trojaborg, L.H. Weimer, A.P. Hays (USA)	1586



Regularity of force tremor in Parkinson's disease D.E. Vaillancourt, A.B. Slifkin, K.M. Newell (USA)	1594
Intracortical inhibition and facilitation in human facial motor area: difference between upper and lower facial area M. Kobayashi, H. Théoret, F.-M. Mottaghy, M. Gangitano, A. Pascual-Leone (USA)	1604
Enhanced associated movements in the contralateral limbs elicited by brisk voluntary contraction in choreic disorders T. Hashimoto, M. Shindo, N. Yanagisawa (Japan)	1612
Distinct multi-joint control strategies in spastic diplegia associated with prematurity or Angelman syndrome B. Dan, E. Bouillot, A. Bengoetxea, S.G. Boyd, G. Cheron (Belgium, UK)	1618
Electromyographic differentiation of tremors I. Milanov (Bulgaria)	1626
Inhibition of motor system excitability at cortical and spinal level by tonic muscle pain D. Le Pera, T. Graven-Nielsen, M. Valeriani, A. Oliviero, V. Di Lazzaro, P.A. Tonali, L. Arendt-Nielsen (Denmark, Italy)	1633
Steep early negative slopes can be demonstrated in pre-movement Bereitschaftspotential M. Kukleta, M. Lamarche (Czech Republic, France)	1642
Response to the first stimulus determines reduced auditory evoked response suppression in schizophrenia: single trials analysis using MEG L.D. Blumenfeld, B.A. Clementz (USA)	1650
Response priming in a go/nogo task: do we have to explain the go/nogo N2 effect in terms of response activation instead of inhibition? K.J. Bruin, A.A. Wijers, A.S.J. van Staveren (The Netherlands)	1660
Transcranial magnetic stimulation of left prefrontal cortex impairs working memory B.R. Mull, M. Seyal (USA)	1672
Button-pressing affects P300 amplitude and scalp topography D.F. Salisbury, B. Rutherford, M.E. Shenton, R.W. McCarley (USA)	1676
Neuromagnetic activity in alpha and beta bands reflect learning-induced increases in coordinative stability K.J. Jantzen, A. Fuchs, J.M. Mayville, L. Deecke, J.A.S. Kelso (USA, Austria)	1685
The use of phase in the detection of auditory steady-state responses T.W. Picton, A. Dimitrijevic, M.S. John, P. Van Roon (Canada)	1698
The mismatch negativity as an index of temporal processing in audition T. Kujala, J. Kallio, M. Tervaniemi, R. Näätänen (Finland)	1712
Identification of principal components in cortical evoked potentials by brief surface cooling E. Kublik, P. Musiał, A. Wróbel (Poland)	1720
BIPELDs in akinetic mutism caused by bilateral anterior cerebral artery infarction J. Nicolai, M.J.A.M. van Putten, D.L.J. Tavy (The Netherlands)	1726
Estimation of the EEG power spectrum using MRI $T_2$ relaxation time in traumatic brain injury R.W. Thatcher, C. Biver, J.F. Gomez, D. North, R. Curtin, R.A. Walker, A. Salazar (USA)	1729
Neural networks involving the medial temporal structures in temporal lobe epilepsy F. Bartolomei, F. Wendling, J.-J. Bellanger, J. Régis, P. Chauvel (France)	1746
Cortical current density reconstruction of interictal epileptiform activity in temporal lobe epilepsy H.-J. Huppertz, S. Hoegg, C. Sick, C.H. Lücking, J. Zentner, A. Schulze-Bonhage, R. Kristeva-Feige (Germany)	1761
The effect of the skull on event-related P300 T. Frodl, E.M. Meisenzahl, D. Müller, G. Leinsinger, G. Juckel, K. Hahn, H.-J. Möller, U. Hegerl (Germany)	1773
The influence of electrode location errors on EEG dipole source localization with a realistic head model Y. Wang, J. Gotman (Canada)	1777
Transcranial magnetic stimulation coregistered with MRI: a comparison of a guided versus blind stimulation technique and its effect on evoked compound muscle action potentials L.D. Gugino, J.R. Romero, L. Aglio, D. Titone, M. Ramirez, A. Pascual-Leone, E. Grimson, N. Weisenfeld, R. Kikinis, M.-E. Shenton (USA)	1781
Precision grip deficits in cerebellar disorders in man S.J. Fellows, J. Ernst, M. Schwarz, R. Töpper, J. Noth (Germany)	1793
Cortical myoclonus in Janz syndrome F. Panzica, G. Rubboli, S. Franceschetti, G. Avanzini, S. Meletti, A. Pozzi, C.A. Tassinari (Italy)	1803
Inhibitory conditioning stimulus in transcranial magnetic stimulation reduces the number of excited spinal motor neurons V. Mall, F.-X. Glocker, U. Fietzek, F. Heinen, S. Berweck, R. Korinthenberg, K.M. Rösler (Germany, Switzerland)	1810
Relation between changes in long-latency stretch reflexes and muscle stiffness in Parkinson's disease – comparison before and after unilateral pallidotomy R. Hayashi, T. Hashimoto, T. Tada, S. Ikeda (Japan)	1814
Differential modulation of motor evoked potential and silent period by activation of intracortical inhibitory circuits C. Trompetto, A. Buccolieri, L. Marinelli, G. Abbruzzese (Italy)	1822
Head extensor reflex evoked by trigeminal stimulation in humans M. Leandri, A. Gottlieb, G. Cruccu (Italy)	1828

A double-dissociation of English past-tense production revealed by event-related potentials and low-resolution electromagnetic tomography (LORETA) A. Lavric, D. Pizzagalli, S. Forstmeier, G. Rippon (UK, USA, Germany)	1833
Neuromagnetic source localization of auditory evoked fields and intracerebral evoked potentials: a comparison of data in the same patients B. Godey, D. Schwartz, J.B. de Graaf, P. Chauvel, C. Liégeois-Chauvel (France)	1850
Morphological and functional retinal impairment in Alzheimer's disease patients V. Parisi, R. Restuccia, F. Fattapposta, C. Mina, M.G. Bucci, F. Pierelli (Italy)	1860
Scalp topography of ultralate (C-fibres) evoked potentials following thulium YAG laser stimuli to tiny skin surface areas in humans E. Opsommer, T. Weiss, W.H.R. Miltner, L. Plaghki (Belgium, Germany)	1868
Characteristics of habituation of the sympathetic skin response to repeated electrical stimuli in man P. Cariga, M. Catley, C.J. Mathias, P.H. Ellaway (UK)	1875
Simultaneous recording of late and ultra-late pain evoked potentials in fibromyalgia M. Granot, D. Buskila, Y. Granovsky, E. Sprecher, L. Neumann, D. Yarnitsky (Israel)	1881
Absence of sleep EEG markers in fatal familial insomnia healthy carriers: a spectral analysis study F. Ferrillo, G. Plazzi, L. Nobili, M. Beelke, F. De Carli, P. Cortelli, P. Tinuper, P. Avoni, S. Vandi, P. Gambetti, E. Lugaresi, P. Montagna (Italy, USA)	1888
Automated detection of tracé alternant during sleep in healthy full-term neonates using discrete wavelet transform J.P. Turnbull, K.A. Loparo, M.W. Johnson, M.S. Scher (USA)	1893
Antero-posterior EEG changes during the wakefulness-sleep transition L. De Gennaro, M. Ferrara, G. Curcio, R. Cristiani (Italy)	1901
Temporal relationship of generalized epileptiform discharges to spindle frequency activity in childhood absence epilepsy L. Nobili, M.G. Baglietto, M. Beelke, F. De Carli, E. Veneselli, F. Ferrillo (Italy)	1912
Warp-averaging event-related potentials K. Wang, H. Begleiter, B. Porjesz (USA)	1917
A surface EMG analysis of sarcolemma excitability alteration and myofibre degeneration in Steinert disease C. Chisari, C. Simonella, B. Rossi (Italy)	1925
Decreased EMG inhibition following electrical stimulation over muscle tendons in myopathies A. Priori, C. Cinnante, A. Pesenti, A. Gallanti, A. Cappellari, G. Scarlato, S. Barbieri (Italy)	1931
Proximal motor conduction evaluated by transcranial magnetic stimulation in acquired inflammatory demyelinating neuropathies A. Inaba, T. Yokota, Y. Saito, T. Ichikawa, H. Mizusawa (Japan)	1936
Symptoms and neurophysiological picture of carpal tunnel syndrome in pregnancy L. Padua, I. Aprile, P. Caliendo, T. Carboni, A. Meloni, S. Massi, O. Mazza, M. Mondelli, A. Morini, D. Murasecco, M. Romano, P. Tonali, for the Italian Carpal Tunnel Syndrome Study Group (Italy)	1946
Vestibulocollic reflexes: normal values and the effect of age M.S. Welgampola, J.G. Colebatch (Australia)	1971
Electrophysiological analysis of cortical mechanisms of selective attention to high and low spatial frequencies A. Martínez, F. Di Russo, L. Anlo-Vento, S.A. Hillyard (USA)	1980
Source generators of the early somatosensory evoked potentials to tibial nerve stimulation: an intracerebral and scalp recording study M. Valeriani, A. Insola, D. Restuccia, D. Le Pera, P. Mazzone, M.G. Altibrandi, P. Tonali (Italy)	1999
Cutaneous afferents mediating the cutaneous silent period in the upper limbs: evidences for a role of low-threshold sensory fibres M. Serrao, L. Parisi, F. Pierelli, P. Rossi (Italy)	2007
The influence of current direction on phosphene thresholds evoked by transcranial magnetic stimulation T. Kammer, S. Beck, M. Erb, W. Grodd (Germany)	2015
Basal ganglia involvement in sensory and cognitive processing. A depth electrode CNV study in human subjects M. Bareš, I. Rektor (Czech Republic)	2022
Auditory information processing during human sleep as revealed by event-related brain potentials M. Atienza, J.L. Cantero, C. Escera (Spain)	2031
Relationship between Delta, Sigma, Beta, and Gamma EEG bands at REM sleep onset and REM sleep end R. Ferri, F.I.I. Cosentino, M. Elia, S.A. Musumeci, R. Marinig, P. Bergonzi (Italy)	2046
Topography of <i>foramen ovale</i> electrodes by 3D image reconstruction H.G. Wieser, U. Schwarz (Switzerland)	2053
Effects of emotional arousal in the cerebral hemispheres: a study of oscillatory brain activity and event-related potentials A. Keil, M.M. Müller, T. Gruber, C. Wienbruch, M. Stolarova, T. Elbert (Germany, UK, USA)	2057
Parieto-temporal rhythms in the 6-9 Hz band recorded in epileptic patients with depth electrodes in a self-paced movement protocol B. Turak, J. Louvel, P. Buser, M. Lamarche (France)	2069

Quantitative analysis of the electroencephalogram during cranial electrotherapy stimulation M.J. Schroeder, R.E. Barr (USA)	2075
Evidence for distinct beta resonance frequencies in human EEG related to specific sensorimotor cortical areas C. Neuper, G. Pfurtscheller (Austria)	2084
EEG-defined subtypes of children with attention-deficit/hyperactivity disorder A.R. Clarke, R.J. Barry, R. McCarthy, M. Selikowitz (Australia)	2098
Neurophysiological study of secondary synchronous occipito-frontopolar spikes in childhood M. Ueno, H. Oguni, K. Yasuda, M. Osawa (Japan)	2106
Neurographic assessment of lesions of single proper digital nerves F. Spaans (The Netherlands)	2113
The motor nerve simulator E. Stålberg, L. Karlsson (Sweden)	2118
Delay of simple reaction time after levodopa intake T. Müller, S. Benz, C. Börnke (Germany)	2133
Are the after-effects of low-frequency rTMS on motor cortex excitability due to changes in the efficacy of cortical synapses? T. Touge, W. Gerschlag, P. Brown, J.C. Rothwell (Japan, UK, Austria)	2138
Movement-related potentials in the basal ganglia: a SEEG readiness potential study I. Rektor, M. Bareš, D. Kubová (Czech Republic)	2146
Decreased sensory cortical excitability after 1 Hz rTMS over the ipsilateral primary motor cortex H. Enomoto, Y. Ugawa, R. Hanajima, K. Yuasa, H. Mochizuki, Y. Terao, Y. Shiio, T. Furubayashi, N.K. Iwata, I. Kanazawa (Japan)	2154
Modulation of the soleus H-reflex in prone human subjects using galvanic vestibular stimulation P.M. Kennedy, J.T. Inglis (Canada)	2159
P3a from a passive visual stimulus task Y.-W. Jeon, J. Polich (South Korea, USA)	2202
Modulation of startle and the startle-elicited P300 by the conditions of the cued continuous performance task in school-age boys E.M. Ornitz, J.-G. Gehricke, A.T. Russell, R. Pynoos, P. Siddarth (USA)	2209
Electrophysiological correlates for response inhibition in a Go/NoGo task H. Bokura, S. Yamaguchi, S. Kobayashi (Japan)	2224
Event-related desynchronization and synchronization during a memory task in children C.M. Krause, P.-A. Salminen, L. Sillanmäki, I.E. Holopainen (Finland)	2233
Time dynamics of stimulus- and event-related gamma band activity: contrast-VEPs and the visual P300 in man W.G. Sannita, F. Bandini, M. Beelke, F. De Carli, S. Carozzo, D. Gesino, L. Mazzella, C. Ogliastro, L. Narici (Italy, USA)	2241
Changes of middle latency somatosensory evoked potentials (SEPs) and alpha rhythmicity associated with oculomotor processes M. Kamoda, T. Touge, M. Ikeguchia, K. Deguchi, S. Watanabe, H. Takeuchi (Japan)	2250
Bladder filling inhibits somatic spinal motoneurons M. Inghilleri, A. Carbone, F. Pedace, A. Conte, V. Frasca, A. Berardelli, G. Cruccu, M. Manfredi (Italy)	2255
Somatosensory evoked high frequency oscillations recorded from subdural electrodes Y. Kojima, T. Uozumi, N. Akamatsu, K. Matsunaga, E. Urasaki, S. Tsuji (Japan)	2261
Investigation of the sleep electrocorticogram of the common marmoset ( <i>Callithrix jacchus</i> ) using radiotelemetry H.S. Crofts, S. Wilson, N.G. Muggleton, D.J. Nutt, E.A.M. Scott, P.C. Pearce (UK)	2265
Non-linear EEG analysis in children with epilepsy and electrical status epilepticus during slow-wave sleep (ESES) R. Ferri, M. Elia, S.A. Musumeci, C.J. Stam (Italy, The Netherlands)	2274
Cerebral blood flow and sources of abnormal EEG activity (VARETA) in neurocysticercosis A. Fernández-Bouzas, T. Harmony, T. Fernández, J. Ricardo-Garcell, G. Casián, R. Sánchez-Conde (Mexico)	2281
Experimental tests of EEG source localization accuracy in realistically shaped head models B.N. Cuffin, D.L. Schomer, J.R. Ives, H. Blume (USA)	2288
The stimulus intensity modifies the blink reflex recovery cycle in healthy subjects and in blepharospasm M. Sommer, A. Ferbert (Germany)	2293
The soleus late response elicited by transcranial magnetic stimulation reflects agonist-antagonist postural adjustment in the lower limbs R. Suga, S. Tobimatsu, T. Taniwaki, J.-i. Kira, M. Kato (Japan)	2300
Motor evoked potentials from masseter muscle induced by transcranial magnetic stimulation of the pyramidal tract: the importance of coil orientation A.G. Guggisberg, P. Dubach, C.W. Hess, C. Wüthrich, J. Mathis (Switzerland)	2312
 <i>Brief Communication</i>	
Characterization of the mu rhythm during rapid eye movement sleep S.P. Duntley, A.H. Kim, D.L. Silbergeld, J.W. Miller (USA)	528

Heart rate changes during sleep in response to experimental thermal (nociceptive) stimulations in healthy subjects G.J. Lavigne, M. Zucconi, V. Castronovo, C. Manzini, F. Veglia, S. Smirne, L. Ferini-Strambi (Canada, Italy)	532
<i>Case Report</i>	
Simultaneous EEG and functional MRI of epileptic activity: a case report J. Baudewig, H.J. Bittermann, W. Paulus, J. Frahm (Germany)	1196
<i>Letters to the Editors</i>	
On absence seizures and oculomotor phenomena E. Anagnostou (Germany)	563
Reply to E. Anagnostou 'On absence seizures and oculomotor phenomena' D. Bogacz (Uruguay)	563
A safety screening questionnaire for transcranial magnetic stimulation J.C. Keel, M.J. Smith, E.M. Wassermann (USA)	720
The problem of conduction velocity of the human spinothalamic tract G.D. Iannetti, G. Cruccu, M. Manfredi (Italy)	1113
Reply to Dr Cruccu P. Rossi, M. Serrao, G. Pozzessere, F. Pierelli (Italy)	1114
Reply to Dr Cruccu R. Kakigi (Japan)	1115
Soleus H-reflex changes during loading and unloading of the spine and their relation to the diagnosis of lumbosacral radiculopathy in mechanical back pain R. Mazzocchio (Italy)	1952
Reply to Dr Mazzocchio M.A. Sabbahi (USA)	1953
Seizures and epileptiform EEG abnormalities in FRAXE syndrome S.A. Musumeci, R. Ferri, C. Scuderi, P. Bosco, M. Elia (Italy)	1954
Effect of subliminally perceived stimulus differences or of superliminally perceived order differences? R. Verleger (Germany)	1956
Reply to Dr Verleger E. Bernat (USA)	1957
Detecting 'minimal block' with a SFEMG needle J.G. van Dijk (The Netherlands)	2164
Reply to Dr van Dijk L. Padua, I. Aprile, P. D'Amico, F. Pauri, M. Sabatelli, P. Caliendo, P. Tonali (Italy)	2164
<i>Book Reviews</i>	
The Neurocognition of Language – Colin M. Brown and Peter Hagoort (Eds.), Oxford University Press, Oxford, UK, 2000 J. Pujol (Spain)	953
Sleep Disorders Medicine: Basic Science, Technical Considerations, and Clinical Aspects – S. Chokroverty J. Santamaria (Spain)	1109
Localization of Brain Lesions and Developmental Functions – Daria Riva and Arthur Benton M.L. Berthier (Spain)	1110
EMG Waveforms: Video and companion guide to electromyography and neuromuscular disorders – D.C. Preston and B.E. Shapiro C. Lomen-Hoerth (USA)	2320
The Cranio-Cervical Syndrome: Mechanisms, Assessment and Treatment – H. Vernon J. Chu (USA)	2320
Limbic seizures in children – G. Avanzini, A. Beaumanoir and L. Mira J. Engel Jr. (USA)	2321
<i>Society Proceedings</i>	
The British Society for Clinical Neurophysiology London, 24th March 2000 L.M. Henderson (UK)	950
The British Society for Clinical Neurophysiology, London, 20 October 2000 L.M. Henderson (UK)	1117
30th Annual Meeting of Japanese Society of Clinical Neurophysiology, Kyoto, Japan, 13–15 December 2000 H. Shibasaki (Japan)	1119
38th Annual Meeting of the SENFC (Spanish Society of Clinical Neurophysiology), Barcelona, Spain, December 14–16, 2000 M. Ferrández (Spain)	1128

47th Congress of the Czech and Slovak Society of Clinical Neurophysiology, Teplice, Czech Republic, 14–16 December 2000 S. Nevšimalova (Czech Republic)	1139
The British Society for Clinical Neurophysiology, Birmingham, 27 March 1998	1958
The British Society for Clinical Neurophysiology, London, 19–20 June 1998	1960
The British Society for Clinical Neurophysiology, London, 30 October 1998	1964
The British Society for Clinical Neurophysiology, London, 8–9 March 2001	1967
Abstracts of Presentations: 48th Annual Scientific Meeting, American Association of Electrodiagnostic Medicine, Albuquerque, NM, 3–6 October 2001	2166
The British Society for Clinical Neurophysiology, Southampton, 25 June 1999 L.M. Henderson (UK)	2323
The British Society for Clinical Neurophysiology, London, 22 October 1999 L.M. Henderson (UK)	2326
Western Clinical Neurophysiology Society, Reno, NV, USA, 2–3 February 2001 P. Garcia (USA)	2328
The British Society for Clinical Neurophysiology, London, 15 June 2001 L.M. Henderson (UK)	2331
The Italian Society for Clinical Neurophysiology L. Santoro	2333
<i>Acknowledgement to reviewers</i>	2356
<i>Index of Authors to Volume 112</i>	2359
<i>Index of Subjects to Volume 112</i>	2375
<i>Table of Contents to Volume 112</i>	2410





